

| Part ID                  | (OD/Shape) & Gauge | Material                   | Length   | Pieces |
|--------------------------|--------------------|----------------------------|----------|--------|
| 0500AA043050AB243.0000   | .500 x .043        | Cold Rolled                | 243.000" | 73     |
| 0625AA056070KB227.0000   | .625 x .056        | Hot Rolled                 | 227.000" | 63     |
| 0625AA056070KB230.0000   | .625 x .056        | Hot Rolled                 | 230.000" | 212    |
| 0625AA056070KB235.0000   | .625 x .056        | Hot Rolled                 | 235.000" | 31     |
| 0625AA058070AB242.0000   | .625 x .058        | Cold Rolled                | 242.000" | 71     |
| 0625AA058070JB242.0000   | .625 x .058        | Galvalume                  | 242.000" | 68     |
| 0625BA043052AB242.0000   | .500 x .500 x .043 | Cold Rolled                | 242.000" | 172    |
| 0625BA043052JA060.0000   | .500 x .500 x .043 | Galvalume                  | 60.000"  | 548    |
| 0750AA030037AB250.0000   | .750 x .030        | Cold Rolled                | 250.000" | 468    |
| 0750AA035040AB250.0000   | .750 x .035        | Cold Rolled                | 250.000" | 176    |
| 0750AA043052AA029.2500   | .750 x .043        | Cold Rolled                | 29.250"  | 156    |
| 0750AA043052DA052.8100   | .750 x .043        | Cold Rolled                | 52.810"  | 1,326  |
| 0750AA043052JB288.0000   | .750 x .043        | Galvalume                  | 288.000" | 173    |
| 0750AA043052JL312.0000LC | .750 x .043        | Galvalume (Lacquer Coated) | 312.000" | 124    |
| 0750AA056070KA022.3130   | .750 x .056        | Hot Rolled                 | 22.313"  | 500    |
| 0750AA056070KB240.0000   | .750 x .056        | Hot Rolled                 | 250.000" | 151    |
| 0750AA056070KB250.0000   | .750 x .056        | Hot Rolled                 | 250.000" | 89     |
| 0750AA056070KB255.0000   | .750 x .056        | Hot Rolled                 | 255.000" | 36     |
| 0750AA058069JB183.0000   | .750 x .058        | Galvalume                  | 183.000" | 111    |
| 0750AA058069JB235.0000CC | .750 x .058        | Galvalume (UV Coated)      | 235.000" | 116    |
| 0750AA058070AB235.0000   | .750 x .058        | Cold Rolled                | 235.000" | 118    |
| 0750AA058070AB240.0000   | .750 x .058        | Cold Rolled                | 240.000" | 161    |
| 0750AA073083KB240.0000   | .750 x .073        | Hot Rolled                 | 240.000" | 80     |
| 0750AA073089AA045.6870   | .750 x .073        | Cold Rolled                | 45.6870" | 100    |
| 0750AA073089KB227.0000   | .750 x .073        | Hot Rolled                 | 227.000" | 82     |
| 0750AA073089KB242.0000   | .750 x .073        | Hot Rolled                 | 242.000" | 31     |
| 0750AA073089KB250.0000   | .750 x .073        | Hot Rolled                 | 250.000" | 68     |
| 0750AA110126KB240.0000   | .750 x .110        | Hot Rolled                 | 240.000" | 41     |
| 0750AA110126KB242.0000   | .750 x .110        | Hot Rolled                 | 242.000" | 50     |
| 0750BA043052JA048.0000   | .625 x .625 x .043 | Galvalume                  | 48.000"  | 1,000  |
| 0750BA043052JA060.0000   | .625 x .625 x .043 | Galvalume                  | 60.000"  | 1,800  |
| 0750BA056070KB245.0000   | .625 x .625 x .056 | Hot Rolled                 | 245.000" | 56     |
| 0855AA058070DB246.0000   | .855 x .058        | Cold Rolled                | 246.000" | 2,740  |
| 0875AA043052AB240.0000   | .875 x .043        | Cold Rolled                | 240.000" | 148    |

|                        |                     |             |          |       |
|------------------------|---------------------|-------------|----------|-------|
| 0875AA043052DB240.0000 | .875 x .043         | Cold Rolled | 240.000" | 86    |
| 0875AA047053AB255.0000 | .875 x .047         | Cold Rolled | 255.000" | 176   |
| 0875AA056070KA020.3750 | .875 x .056         | Hot Rolled  | 20.3750" | 210   |
| 0875AA056070KA038.0625 | .875 x .056         | Hot Rolled  | 38.0625" | 500   |
| 0875AA056070KA044.3750 | .875 x .056         | Hot Rolled  | 44.375"  | 500   |
| 0875AA058070AA015.6250 | .875 x .058         | Cold Rolled | 15.625"  | 6,678 |
| 0875AA058070AA039.8750 | .875 x .058         | Cold Rolled | 39.8750" | 284   |
| 0875AA058070AA079.7500 | .875 x .058         | Cold Rolled | 79.7500" | 47    |
| 0875AA073089KB235.0000 | .875 x .073         | Hot Rolled  | 235.000" | 96    |
| 0875AA076085KA024.5000 | .875 x .076         | Hot Rolled  | 24.500"  | 220   |
| 0875AA076089AA017.6250 | .875 x .076         | Cold Rolled | 17.6250" | 230   |
| 0875AA076089JB250.0000 | .875 x .076         | Galvalume   | 250.000" | 140   |
| 0875AA099115KB240.0000 | .875 x .099         | Hot Rolled  | 240.000" | 175   |
| 0922BA040047CF042.5000 | .750 x .750 x .040  | Cold Rolled | 42.500"  | 548   |
| 0922BA043051AB240.0000 | .750 x .750 x .043  | Cold Rolled | 240.000" | 56    |
| 0922BA043051JA056.5000 | .750 x .750 x .043  | Galvalume   | 56.500"  | 200   |
| 0922BA043051JA144.0000 | .750 x .750 x .043  | Galvalume   | 144.000" | 601   |
| 0922BA056070KB240.0000 | .750 x .750 x .056  | Hot Rolled  | 240.000" | 173   |
| 0922BA058069AB242.0000 | .750 x .750 x .058  | Cold Rolled | 242.000" | 286   |
| 0922BA073089KB240.0000 | .750 x .750 x .073  | Hot Rolled  | 240.000" | 100   |
| 0922CA056070KB240.0000 | .500 x 1.000 x .056 | Hot Rolled  | 240.000" | 244   |
| 0922CB043050AB240.0000 | .500 x 1.500 x .043 | Cold Rolled | 240.000" | 518   |
| 1000AA043050AB242.0000 | 1.000 x .043        | Cold Rolled | 242.000" | 486   |
| 1000AA043051AB227.0000 | 1.000 x .043        | Cold Rolled | 227.000" | 148   |
| 1000AA043051AB240.0000 | 1.000 x .043        | Cold Rolled | 240.000" | 169   |
| 1000AA043051AB242.0000 | 1.000 x .043        | Cold Rolled | 242.000" | 78    |
| 1000AA043051DA057.1900 | 1.000 x .043        | Cold Rolled | 57.190"  | 1,500 |
| 1000AA043051DA061.0000 | 1.000 x .043        | Cold Rolled | 61.000"  | 500   |
| 1000AA043051DA066.8700 | 1.000 x .043        | Cold Rolled | 66.870"  | 1,500 |
| 1000AA043051DA075.4300 | 1.000 x .043        | Cold Rolled | 75.430"  | 1,500 |
| 1000AA043051DA091.1900 | 1.000 x .043        | Cold Rolled | 91.190"  | 500   |
| 1000AA043051DB227.0000 | 1.000 x .043        | Cold Rolled | 227.000" | 351   |
| 1000AA043051DB250.0000 | 1.000 x .043        | Cold Rolled | 250.000" | 263   |
| 1000AA043051DB257.0000 | 1.000 x .043        | Cold Rolled | 257.000" | 406   |
| 1000AA043051JA024.8000 | 1.000 x .043        | Galvalume   | 24.800"  | 2,013 |

|                          |                    |                            |          |       |
|--------------------------|--------------------|----------------------------|----------|-------|
| 1000AA043051JA083.8750LC | 1.000 x .043       | Galvalume (Lacquer Coated) | 83.8750" | 96    |
| 1000AA058069AB227.0000   | 1.000 x .058       | Cold Rolled                | 227.000" | 33    |
| 1000AA058069AB250.0000   | 1.000 x .058       | Cold Rolled                | 250.000" | 51    |
| 1000AA058069DA044.3700   | 1.000 x .058       | Cold Rolled                | 44.3700" | 50    |
| 1000AA058069DA061.0000   | 1.000 x .058       | Cold Rolled                | 61.000"  | 425   |
| 1000AA058069JA123.0000CC | 1.000 x .058       | Galvalume (UV Coated)      | 123.000" | 182   |
| 1000AA058069JB288.0000CC | 1.000 x .058       | Galvalume (UV Coated)      | 288.000" | 66    |
| 1000AA072085KZ255.0000   | 1.000 x .072       | Hot Rolled                 | 255.000" | 194   |
| 1000AA073089KA105.5000   | 1.000 x .073       | Hot Rolled                 | 105.000" | 217   |
| 1000AA076088AA035.6250   | 1.000 x .076       | Cold Rolled                | 35.6250" | 181   |
| 1000AA076088AB230.0000   | 1.000 x .076       | Cold Rolled                | 230.000" | 46    |
| 1000AA076088IB240.0000   | 1.000 x .076       | Galvanized                 | 240.000" | 97    |
| 1000AA076088JB288.0000   | 1.000 x .076       | Galvalume                  | 288.000" | 65    |
| 1000AA078086KM025.0000   | 1.000 x .078       | Hot Rolled                 | 25.000"  | 100   |
| 1000AA085101KB240.0000   | 1.000 x .085       | Hot Rolled                 | 240.000" | 39    |
| 1000AA099115KA114.0000   | 1.000 x .099       | Hot Rolled                 | 114.000" | 75    |
| 1000AA099115KB240.0000   | 1.000 x .099       | Hot Rolled                 | 240.000" | 35    |
| 1000AA112127DA092.0000   | 1.000 x .112       | Cold Rolled                | 92.000"  | 1,015 |
| 1000BA043051AB255.0000   | .813 x .813 x .043 | Cold Rolled                | 255.000" | 117   |
| 1064DE055069KB242.0000   | .472 x 1.339       | Hot Rolled                 | 242.000" | 158   |
| 1125AA058069AB242.0000   | 1.125 x .058       | Cold Rolled                | 242.000" | 214   |
| 1125BA043051AB240.0000   | .875 x .875 x .043 | Cold Rolled                | 240.000" | 448   |
| 1125BA043051AB250.0000   | .875 x .875 x .043 | Cold Rolled                | 250.000" | 46    |
| 1250AA036038JA060.5000LC | 1.250 x .036       | Galvalume (Lacquer Coated) | 60.5000" | 45    |
| 1250AA043051AB240.0000   | 1.250 x .043       | Cold Rolled                | 240.000" | 451   |
| 1250AA043051IA123.0000   | 1.250 x .043       | Galvanized                 | 123.000" | 251   |
| 1250AA043051JA054.0000   | 1.250 x .043       | Galvalume                  | 54.000"  | 273   |
| 1250AA043051JA107.5000   | 1.250 x .043       | Galvalume                  | 107.500" | 203   |
| 1250AA043051JA113.5000   | 1.250 x .043       | Galvalume                  | 113.500" | 150   |
| 1250AA043051JA123.0000   | 1.250 x .043       | Galvalume                  | 123.000" | 423   |
| 1250AA043051JB223.0000   | 1.250 x .043       | Galvalume                  | 223.000" | 35    |
| 1250AA058069AB242.0000   | 1.250 x .058       | Cold Rolled                | 242.000" | 70    |
| 1250AA072088KB240.0000   | 1.250 x .072       | Hot Rolled                 | 240.000" | 68    |
| 1250AA076088AA120.0000   | 1.250 x .076       | Cold Rolled                | 120.000" | 248   |
| 1250AA076088AB240.0000   | 1.250 x .076       | Cold Rolled                | 240.000" | 146   |

|                          |                      |                        |          |       |
|--------------------------|----------------------|------------------------|----------|-------|
| 1250BA043051AA032.6250   | 1.000 x 1.000 x .043 | Cold Rolled            | 32.6250" | 161   |
| 1250BA043051AA062.0000   | 1.000 x 1.000 x .043 | Cold Rolled            | 62.000"  | 45    |
| 1250BA058069AB265.0000   | 1.000 x 1.000 x .058 | Cold Rolled            | 265.000" | 180   |
| 1250BA058071AB252.0000   | 1.000 x 1.000 x .058 | Cold Rolled            | 252.000" | 144   |
| 1250BA058071AC240.0000   | 1.000 x 1.000 x .058 | Cold Rolled            | 240.000" | 176   |
| 1250BA058071AC252.0000   | 1.000 x 1.000 x .058 | Cold Rolled            | 252.000" | 598   |
| 1250BA085105KZ252.0000   | 1.000 x 1.000 x .058 | Hot Rolled             | 252.000" | 1,055 |
| 1250CA043050AB250.0000   | .500 x 1.500 x .043  | Cold Rolled            | 250.000" | 270   |
| 1250CA043051AC026.6250   | .500 x 1.500 x .043  | Cold Rolled            | 26.6250" | 424   |
| 1250CA043051AC227.0000   | .500 x 1.500 x .043  | Cold Rolled            | 227.000" | 125   |
| 1250CA043051AC240.0000   | .500 x 1.500 x .043  | Cold Rolled            | 240.000" | 83    |
| 1250CA043051AC250.0000   | .500 x 1.500 x .043  | Cold Rolled            | 250.000" | 197   |
| 1250CA055069KB240.0000   | .500 x 1.500 x .055  | Hot Rolled             | 240.000" | 307   |
| 1250CA055069KC259.0000   | .500 x 1.500 x .055  | Hot Rolled             | 259.000" | 200   |
| 1250CA058069AB240.0000   | .500 x 1.500 x .058  | Cold Rolled            | 240.000" | 100   |
| 1250CA058069AC240.0000   | .500 x 1.500 x .058  | Cold Rolled            | 240.000" | 156   |
| 1250DA058064AB240.0000   | .880 x 1.530 x .058  | Cold Rolled            | 240.000" | 125   |
| 1250DA062076KA052.0000   | .880 x 1.530 x .062  | Hot Rolled             | 52.000"  | 88    |
| 1250DA073080KB240.0000   | .880 x 1.530 x .073  | Hot Rolled             | 240.000" | 105   |
| 1250DA076088AA035.0000   | .880 x 1.530 x .076  | Cold Rolled            | 35.000"  | 90    |
| 1250DA076088AB240.0000   | .880 x 1.530 x .076  | Cold Rolled            | 240.000" | 106   |
| 1315AA043051JA123.0000   | 1.315 x .043         | Galvalume              | 123.000" | 448   |
| 1315AA058069JA060.0000   | 1.315 x .058         | Galvalume              | 60.000"  | 182   |
| 1315AA058069JA120.0000   | 1.315 x .058         | Galvalume              | 120.000" | 637   |
| 1375DD043051JB242.0000   | 1.760 x .850 x .043  | Galvalume              | 242.000" | 160   |
| 1417CA043051AB242.0000   | .750 x 1.500 x .043  | Cold Rolled            | 242.000" | 150   |
| 1417CA058069AB240.0000   | .750 x 1.500 x .058  | Cold Rolled            | 240.000" | 50    |
| 1417CA058069JA052.3750   | .750 x 1.500 x .058  | Galvalume              | 52.3750" | 270   |
| 1500AA043051AB242.0000   | 1.500 x .043         | Cold Rolled            | 242.000" | 200   |
| 1500AA043051IA078.0000CC | 1.500 x .043         | Galvanized (UV Coated) | 78.000"  | 57    |
| 1500AA043051IA090.0000   | 1.500 x .043         | Galvanized             | 90.000"  | 70    |
| 1500AA043051JA102.0000   | 1.500 x .043         | Galvalume              | 102.000" | 496   |
| 1500AA055069KA028.0000   | 1.500 x .055         | Hot Rolled             | 28.000"  | 1,464 |
| 1500AA055069KB256.0000   | 1.500 x .055         | Hot Rolled             | 256"     | 86    |
| 1500AA058069AB240.0000   | 1.500 x .058         | Cold Rolled            | 240.000" | 514   |

|                          |                      |                        |          |     |
|--------------------------|----------------------|------------------------|----------|-----|
| 1500AA058069JA096.0000   | 1.500 x .058         | Galvalume              | 96.000"  | 478 |
| 1500AA072088KB245.0000   | 1.500 x .072         | Hot Rolled             | 245.000" | 353 |
| 1500AA072088KB255.0000   | 1.500 x .072         | Hot Rolled             | 255.000" | 600 |
| 1500AA076088JB360.0000   | 1.500 x .076         | Galvalume              | 360.000" | 45  |
| 1500AA098114KB240.0000   | 1.500 x .098         | Hot Rolled             | 240.000" | 51  |
| 1563BA054059AB058.6990   | 1.250 x 1.250 x .054 | Cold Rolled            | 58.699"  | 790 |
| 1660AA051059JA084.0000   | 1.660 x .051         | Galvalume              | 84.000"  | 377 |
| 1660AA058069JB240.0000CC | 1.660 x .058         | Galvalume (UV Coated)  | 240.000" | 149 |
| 1750AA055069KB240.0000   | 1.750 x .055         | Hot Rolled             | 240.000" | 273 |
| 1750AA084100KB217.0000   | 1.750 x .084         | Hot Rolled             | 217.000" | 34  |
| 1875AA043051IA102.0000   | 1.875 x .043         | Galvanized             | 102.000" | 82  |
| 1875AA051059JB252.0000CC | 1.875 x .051         | Galvalume (UV Coated)  | 252.000" | 61  |
| 1875AA090104IB254.0000CC | 1.875 x .090         | Galvanized (UV Coated) | 254.000" | 186 |
| 1875BA043051AA081.0000   | 1.500 x 1.500 x .043 | Cold Rolled            | 81.000"  | 300 |
| 1875BA055058KC240.0000   | 1.500 x 1.500 x .055 | Hot Rolled             | 240.000" | 39  |
| 1875BA055069AV240.0000   | 1.500 x 1.500 x .055 | Cold Rolled            | 240.000" | 78  |
| 1875BA055069KB240.0000   | 1.500 x 1.500 x .055 | Hot Rolled             | 240.000" | 58  |
| 1875BA055069KB242.0000   | 1.500 x 1.500 x .055 | Hot Rolled             | 242.000" | 100 |
| 1875BA058069AB240.0000   | 1.500 x 1.500 x .058 | Cold Rolled            | 240.000" | 57  |
| 1875BA058069AB242.0000   | 1.500 x 1.500 x .058 | Cold Rolled            | 242.000" | 50  |
| 1875CA055069KB240.0000   | 2.000 x 1.000 x .055 | Hot Rolled             | 240.000" | 77  |
| 1875CA058069AB244.0000   | 2.000 x 1.000 x .058 | Cold Rolled            | 244.000" | 37  |
| 1875CA072088KB240.0000   | 2.000 x 1.000 x .072 | Hot Rolled             | 240.000" | 100 |
| 2000AA043051AB227.0000   | 2.000 x .043         | Cold Rolled            | 227.000" | 205 |
| 2000AA043051AB255.0000   | 2.000 x .043         | Cold Rolled            | 255.000" | 87  |
| 2000AA058069AB240.0000   | 2.000 x .058         | Cold Rolled            | 240.000" | 200 |
| 2000AA071087KB235.0000   | 2.000 x .071         | Hot Rolled             | 235.000" | 73  |
| 2000AA073083KY215.0000   | 2.000 x .073         | Hot Rolled             | 215.000" | 275 |
| 2000AA073083KY282.0000   | 2.000 x .073         | Hot Rolled             | 282.000" | 77  |
| 2031CA058069AB242.0000   | 2.000 x 1.250 x .058 | Cold Rolled            | 242.000" | 50  |
| 2031CA069071KB240.0000   | 2.000 x 1.250 x .069 | Hot Rolled             | 240.000" | 50  |
| 2031CE076087AA019.1250   | 1.250 x 2.000 x .076 | Cold Rolled            | 19.1250" | 80  |
| 2031CE076087AB240.0000   | 1.250 x 2.000 x .076 | Cold Rolled            | 240.000" | 109 |
| 2375AA051059IA090.0000   | 2.375 x .051         | Galvanized             | 90.000"  | 206 |
| 2375AA051059IA102.0000   | 2.375 x .051         | Galvanized             | 102.000" | 435 |

|                          |                      |                       |          |     |
|--------------------------|----------------------|-----------------------|----------|-----|
| 2500AA054069KB240.0000   | 2.500 x .054         | Hot Rolled            | 240.000" | 104 |
| 2500BA043050AB254.0000   | 2.000 x 2.000 x .043 | Cold Rolled           | 254.000" | 383 |
| 2500BA054068KA021.2500   | 2.000 x 2.000 x .054 | Hot Rolled            | 21.2500" | 323 |
| 2500BA058069JA076.0000   | 2.000 x 2.000 x .058 | Galvalume             | 76.000"  | 147 |
| 2500BA058069JA108.0000   | 2.000 x 2.000 x .058 | Galvalume             | 108.000" | 300 |
| 2500BA058069JB240.0000   | 2.000 x 2.000 x .058 | Galvalume             | 240.000" | 50  |
| 2500BA058069JB291.0000CC | 2.000 x 2.000 x .058 | Galvalume (UV Coated) | 291.000" | 98  |
| 2500BA058069KB248.0000   | 2.000 x 2.000 x .058 | Hot Rolled            | 248.000" | 50  |
| 2500BA076087AA072.0000   | 2.000 x 2.000 x .076 | Cold Rolled           | 72.000"  | 206 |
| 2500BA076087JA102.0000   | 2.000 x 2.000 x .076 | Galvalume             | 102.000" | 245 |
| 2500BA076087JB288.0000   | 2.000 x 2.000 x .076 | Galvalume             | 288.000" | 50  |
| 2500CF043051JB240.0000   | 1.000 x 3.000 x .043 | Galvalume             | 240.000" | 50  |
| 2500CF058069JB288.0000   | 1.000 x 3.000 x .058 | Galvalume             | 288.000" | 176 |
| 2500CF058069JL256.0000CC | 1.000 x 3.000 x .058 | Galvalume (UV Coated) | 256.000" | 48  |
| 2750CA058069JB366.0000CC | 3.000 x 1.500 x .058 | Galvalume (UV Coated) | 366.000" | 96  |

| Part ID              | (OD/Shape) & Gauge | Material             | Length    | Pieces |
|----------------------|--------------------|----------------------|-----------|--------|
| F1000AA049JA024.8000 | 1.000 x .049       | Galvalume (Swedged)  | 24.800"   | 95     |
| F1000AA049JA034.7000 | 1.000 x .049       | Galvalume (Swedged)  | 34.700"   | 2,150  |
| F1000AA049JA123.0000 | 1.000 x .049       | Galvalume (Swedged)  | 123.000"  | 223    |
| F1000AA065IA048.0000 | 1.000 x .065       | Galvanized (Swedged) | 48.000"   | 2,071  |
| F1250AA049JA113.5000 | 1.000 x .049       | Galvalume (Swedged)  | 113.500"  | 300    |
| F1250AA049JA123.0000 | 1.000 x .049       | Galvalume (Swedged)  | 123.000"  | 125    |
| F1250AA065JA120.0000 | 1.250 x .065       | Galvalume (Swedged)  | 120.000"  | 254    |
| F1250AA065JA123.0000 | 1.250 x .065       | Galvalume (Swedged)  | 123.000"  | 296    |
| F1250AA065JA146.7500 | 1.250 x .065       | Galvalume (Swedged)  | 146.7500" | 414    |
| F1315AA049JA123.0000 | 1.315 x .049       | Galvalume (Swedged)  | 123.000"  | 175    |
| F1500AA065JA096.0000 | 1.500 x .065       | Galvalume (Swedged)  | 96.000"   | 9,836  |
| F1660AA057JA123.0000 | 1.660 x .057       | Galvalume (Swedged)  | 123.000"  | 782    |

| Part ID                 | (OD/Shape) & Gauge | Material            | Length  | Pieces |
|-------------------------|--------------------|---------------------|---------|--------|
| P1500AA043051JA078.0000 | 1.500 x .043       | Galvalume(Painted)  | 78.000" | 92     |
| P1500AA043051JA090.0000 | 1.500 x .043       | Galvalume(Painted)  | 90.000" | 581    |
| P1875AA043051IA090.0000 | 1.875 x .043       | Galvanized(Painted) | 90.000" | 696    |
| P1875AA043051JA078.0000 | 1.875 x .043       | Galvalume(Painted)  | 78.000" | 443    |

|                         |              |                               |          |       |
|-------------------------|--------------|-------------------------------|----------|-------|
| P1875AA076088JA102.0000 | 1.875 x .076 | Galvalume(Painted)            | 102.000" | 293   |
| PF1250AA049IA123.0000   | 1.250 x .049 | Galvanized(Painted & Swedged) | 123.000" | 2,051 |